

Contents

Volume 243 (1990)

Research Letters

| | |
|---|-----|
| Clastogenic effects of copper sulphate on the bone marrow chromosomes of mice in vivo by K. Agarwal, A. Sharma and G. Talukder (India) | 1 |
| Killing and mutation induction in quiescent V79 cells as influenced by nalidixic acid by R. Ghosh (Datta) and S.B. Bhattacharjee (India) | 7 |
| Levels of sister-chromatid exchanges in hybrids between Bloom syndrome B-lymphoblastoid cells and various cell lines with lymphoid malignancy by Y. Shiraishi, H. Kobuchi, K. Utsumi and J. Minowada (Japan) | 13 |
| Specificity of spontaneous mutation in the <i>lacI</i> gene cloned into bacteriophage M13 by F. Yatagai and B.W. Glickman (Japan and Canada) | 21 |
| Cytotoxic effects of zirconium oxychloride on bone marrow cells of mice by S. Ghosh, A. Sharma and G. Talukder (India) | 29 |
| Molecular characterization of hprt mutants induced by low- and high-LET radiations in human cells by J.M. Whaley and J.B. Little (U.S.A.) | 35 |
| Comparison of mutagenicity and theoretical reactivity of 2,4-dinitrobenzaldehyde and 2,6-dinitrobenzaldehyde in bacterial mutation assay and molecular orbital method by M. Sayama, M.-a. Mori, H. Shinoda and H. Kozuka (Japan) | 47 |
| Adaptive response to 2 low doses of X-rays in human blood lymphocytes by S. Fan, Vijayalaxmi, G. Mindek and W. Burkart (Switzerland) | 53 |
| Mutagenic compounds in an extract from <i>Rutae Herba</i> (<i>Ruta graveolens</i> L.) II. UV-A mediated mutagenicity in the green alga <i>Chlamydomonas reinhardtii</i> by furoquinoline alkaloids and furocoumarins present in a commercial tincture from <i>Rutae Herba</i> by O. Schimmer and I. Kühne (F.R.G.) | 57 |
| The effect of valproic acid on SCE and chromosome aberrations in epileptic children by L. Hu, X. Lu, B. Lu and Y. Huang (China) | 63 |
| Indications of an adaptive response in C57BL mice pre-exposed in vivo to low doses of ionizing radiation by A. Wojcik and H. Tuschl (Austria) | 67 |
| Unequal SCE is a rare event in homologous recombination between duplicated <i>neo</i> gene fragments in CHO cells by D. Hellgren, S. Sahlén and B. Lambert (Sweden) | 75 |
| Effects of low-dose hydrogen peroxide treatment of V79 cells on killing and mutation by different agents by S. Sengupta (Dasgupta) and S.B. Bhattacharjee (India) | 81 |
| The effect of microwave radiation on the cell genome by V. Garaj-Vrhovac, D. Horvat and Z. Koren (Yugoslavia) | 87 |
| Localization of breaks induced by vinyl chloride in the human chromosomes of lymphocytes by A. Fucic, D. Horvat and B. Dimitrovic (Yugoslavia) | 95 |
| Increased frequency of 6-thioguanine-resistant lymphocytes in peripheral blood of workers employed in cyclophosphamide production by E. Hüttner, U. Mergner, R. Braun and J. Schöneich (G.D.R.) | 101 |
| Synergistic induction of cytogenetic damage by the homo-aza-steroidal ester of <i>p</i> -bis(2-chloroethyl)aminophenylacetic acid in combination with caffeine in human lymphocytes in vitro and in Ehrlich ascites tumour cells in vivo by C. Petrou, D. Mourelatos, J. Dozi-Vassiliades and P. Catsoulacos (Greece) | 109 |
| Mutagenic activity in regional foods and beverages from the Venezuelan Andean region by M.T. Brito, A. Martínez and N.F. González Cadavid (Venezuela) | 115 |
| Co-transfer of restriction endonucleases and plasmid DNA into mammalian cells by electroporation: Effects on stable transformation by T. Yorifuji and H. Mikawa (Japan) | 121 |
| Aneuploidy assay on diethylstilbestrol by means of in situ hybridization of radioactive and biotinylated DNA probes on interphase nuclei | |

| | |
|---|-----|
| by A. De Sario, P. Vagnarelli and L. De Carli (Italy)..... | 127 |
| A sensitive assay for detecting mutations resulting from unequal homologous recombination without phenotypic selection by R. Kominami (Japan)..... | 133 |
| <i>Salmonella typhimurium</i> TA100Tn5-1012, a strain deficient in arylhydroxylamine <i>O</i> -esterificase, exhibits a reduced nitroreductase activity by E.C. McCoy, H.S. Rosenkranz and P.C. Howard (U.S.A.)..... | 141 |
| Non-phenotypic selection of <i>N</i> -methyl- <i>N'</i> -nitro- <i>N</i> -nitrosoguanidine-directed mutation at a predicted hotspot site by A.J.E. Gordon, W.E. Schy and B.W. Glickman (Canada)..... | 145 |
| Suppression of 6-TG-resistant mutations in V79 cells and recessive spot formations in mice by vanillin by H. Imanishi, Y.F. Sasaki, K. Matsumoto, M. Watanabe, T. Ohta, Y. Shirasu and K. Tutikawa (Japan) | 151 |
| Participation of <i>rec</i> genes of <i>Escherichia coli</i> K12 in W-reactivation of UV-irradiated phage λ by D. Simić, B. Vuković-Gačić and J. Knežević-Vukčević (Yugoslavia)..... | 159 |
| Induction of error-free DNA repair in <i>Escherichia coli</i> by thiamine deprivation by N. Sharma and P.S. Fitt (Canada) | 165 |
| Clastogenic effects of <i>cis</i> -diamminedichloroplatinum II. Induction of chromosomal aberrations in primary spermatocytes and spermatogonial stem cells of mice by I.-D. Adler and A. El Tarras (F.R.G. and Egypt) | 173 |
| DNA-replication recovery inhibition and subsequent reinitiation in UV-radiation-damaged <i>E. coli</i> : a strategy for survival by C.O. Doudney (U.S.A.)..... | 179 |
| Mutagenicity experiments on L-cysteine and D-penicillamine using V79 cells as indicators and for metabolic activation by H. Glatt, D. Utesch, M. Herbst and F. Oesch (F.R.G.) | 187 |
| Structure, chemical reactivity, and in vitro mutagenic activity in a series of fecapentane analogues by C.E. Voogd, L.B.J. Vertegaal, M. van der Steeg, A. van der Gen and G.R. Mohn (The Netherlands) | 195 |
| Metabolic activation of 2,4-dinitrobiphenyl derivatives for their mutagenicity in <i>Salmonella typhimurium</i> TA98 by T. Hirayama, K. Iguchi and T. Watanabe (Japan)..... | 201 |
| High frequency of spontaneous <i>Minute</i> mutations detected in the <i>F</i> ₁ progeny of interstrain matings between a recombination-defective <i>mei-9^{L1}</i> and the <i>y w m f/sc^{8(y⁺)}</i> Y B ^S ; dp strain of <i>Drosophila melanogaster</i> by T. Miyamoto (Japan) | 207 |
| Inhibition of DNA synthesis and cytotoxic effects of some DNA topoisomerase II and gyrase inhibitors in Chinese hamster V79 cells by D. Suciu (U.S.A.) | 213 |
| DNA repair and chromosomal stability in the alkylating agent-hypersensitive Chinese hamster cell line 27-1 by B. Kaina, A.A. van Zeeland, A. de Groot and A.T. Natarajan (F.R.G. and The Netherlands) | 219 |
| The effect of glutathione depletion on sister-chromatid exchange induction by cytostatic drugs by B. Köberle and Günter Speit (F.R.G.) | 225 |
| Thymidylate synthetase gene as a quantitative mutation marker in Chinese hamster cells by I.-Chan Li, C.-C. Chang and J.E. Trosko (Taiwan and U.S.A.) | 233 |
| Immunological alteration of the Bloom's syndrome uracil DNA glycosylase in Epstein-Barr virus-transformed human lymphoblastoid cells by G. Seal, E.E. Henderson and M.A. Sirover (U.S.A.) | 241 |
| 5-Formyldeoxyuridine: a new type of DNA damage induced by ionizing radiation and its mutagenicity to <i>Salmonella</i> strain TA102 by H. Kasai, A. Iida, Z. Yamaizumi, S. Nishimura and H. Tanooka (Japan) | 249 |
| Human lymphocyte proliferation kinetics in Hanks' BSS supplemented with autologous plasma and in synthetic medium by M.E. Gonsebatt and O. Mutchinick (Mexico) | 255 |
| The relation between induced reciprocal translocations and cell killing of mouse spermatogonial stem cells after combined treatments with hydroxyurea and X-rays by P.P.W. van Buul and J.H. Goudzwaard (The Netherlands) | 259 |
| Expression of the <i>recA</i> gene is reduced in <i>Escherichia coli</i> topoisomerase I mutants by A. Urios, G. Herrera, V. Aleixandre and M. Blanco (Spain) | 267 |
| Inhibition of induction of adaptive response by <i>o</i> -vanillin in <i>Escherichia coli</i> B by K. Watanabe, T. Ohta, M. Watanabe, T. Kato and Y. Shirasu (Japan) | 273 |
| 1-Chloromethylpyrene: a reference skin sensitizer and genotoxin by J. Ashby, J.E. Gallagher, M. Kohan, H. Tinwell, I. Kimber, D. Paton, R.D. Callander and I. Chouroulinkov (Great Britain, U.S.A. and France)..... | 281 |

| | |
|--|-----|
| Oncogene alterations in in vitro transformed rat tracheal epithelial cells by M.J. Mass, N.S. Schorschinsky, J.A. Lasley, D.K. Beeman and S.J. Austin (U.S.A.) | 291 |
| Suppressing effects of vanillin, cinnamaldehyde, and anisaldehyde on chromosome aberrations induced by X-rays in mice by Y.F. Sasaki, T. Ohta, H. Imanishi, M. Watanabe, K. Matsumoto, T. Kato and Y. Shirasu (Japan) | 299 |
| Influence of S9 mix on the expression of mutants in the L-arabinose resistance test of <i>Salmonella typhimurium</i> by T. Roldán-Arjona, M. Ruiz-Rubio and C. Pueyo (Spain) | 303 |
| Mutagenic activity of metabolites contained in the plasma of Sprague-Dawley rats treated with cyclophosphamide by D. Arnsdorff-Roubicek and H.J. Targa (Brasil) | 309 |
| Holoenzyme DNA polymerase III fixes mutations by S.K. Bryan, M. Hagensee and Robb E. Moses (U.S.A.) | 313 |
| <i>Contents, Vol. 243 (1990)</i> | 319 |

